

Manual of the Particle Filter

S.1327-AF



Contents

1. Usage Conditions
2. Working life, Replace Conditions
3. Storage Conditions
4. Usage Restrictions
5. Technical specifications
6. Statutory requirements and regulations

1. Usage Conditions

S.1327-AF filter must be used with powered air purifying respirator MK11, to provide users with TH1 p level respiratory protection.

2. Working life, Replace Conditions

The working life of S.1327-AF filter is not fixed due to the different working environment. After usage for a period of time, the respirator will give an air flow alarm (continuous single "beep"). When all possibilities are excluded, such as the air pipe blockage, air inlet/outlet covered, other unexpected factors, we can judge that the usage time of filter is running out and needs to be replaced.

3. Storage Conditions

This product is sealed by the moisture-proof plastic bag with desiccant inside. Notice: the package is not damaged when purchasing and saving; keep the storage area as dry as possible; keep the ambient temperature not higher than 85°C, humidity not more than 80%.

4. Usage Restrictions

This product is only used for aerosol particles, not suitable for the environment with odour, poisonous or pernicious gas.

5. Technical Specifications

Filter class: TH1 P

Material filter medium: Glass fibre papers


Material support disks: Vinyl

Colour: Black

Weight: 135 grams

Dimension: \varnothing 120x35mm (D x H)

Drawing:



Label:



6.Statutory requirements and regulations

Regulation (EU) 2016/425.

Norm EN 12941: Powered filtering devices incorporating a helmet
or a hood